

MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION CALENDAR YEAR 2013

MOORE BAYOU WATER ASSOCIATION INC.

PWS ID #: 0140012 - 0140051 - List PWS ID #s for all Community Water Sys	0140052 tems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Commun Consumer Confidence Report (CCR) to its customers each year. Deposystem, this CCR must be mailed or delivered to the customers, published customers upon request. Make sure you follow the proper procedures email a copy of the CCR and Certification to MSDH. Please check all	nity public water system to develop and distribute a ending on the population served by the public water in a newspaper of local circulation, or provided to the when distributing the CCR. You must mail, fax or boxes that apply.
Customers were informed of availability of CCR by: (Attach	copy of publication, water bill or other)
Advertisement in local paper (attach copy of water bills (attach copy of bill) Email message (MUST Email the message to Other	o the address below)
Date(s) customers were informed: 5//16/2014 5 /15	5 2014, 5 / 28 / 2014
CCR was distributed by U.S. Postal Service or other diremethods used water Billo	ect delivery. Must specify other direct delivery
Date Mailed/Distributed: $5/28/14$	
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message	
CCR was published in local newspaper. (Attach copy of publi	ished CCR or proof of publication)
Name of Newspaper: The Clarksdale Press Rec	ister & The Quitman County Democrat
Date Published: 5 / 16 / 2014	5/15/2014
CCR was posted in public places. (Attach list of locations)	Date Posted: / /
CCR was posted on a publicly accessible internet site at the fo	ellowing address (<u>DIRECT URL REQUIRED</u>):
CERTIFICATION Thereby certify that the 2013 Consumer Confidence Report (CC) public water system in the form and manner identified above at the SDWA. I further certify that the information included in this the water quality monitoring data provided to the public was Department of Health, Bureau of Public Water Supply. Name/Title (President, Mayor, Owner, etc.)	nd that I used distribution methods allowed by CCR is true and correct and is consistent with
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215	May be faxed to: (601)576-7800 May be emailed to: Melanie.Yanklowski@msdh.state.ms.us

2013 Annual Drinking Water Quality Report Moore Bayou Water Association, Inc. PWS#: 0140012, 0140051 & 0140052 May 2014

2014 JUN -5 PH 4:0!

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Moore Bayou Water Association have received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Charles M. Veazey at 662-326-6921. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meeting. They are held annually on the second Tuesday of each August at 6:00 PM at the Coahoma County Court House in the Supervisor's room.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2013. In cases where monitoring wasn't required in 2013, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID	π. υμ τ υ	U.I. 24		TEST RES			***************************************	
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contai	minants						
8. Arsenic	N	2011*	2.4	No Range	ppb	n/a	50	Erosion of natural deposits; runoff fron orchards; runoff from glass and electronics production wastes
10. Barium	N	2011*	.008	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits

14. Copper	N	2009/11*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011*	2.18	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011*	8.4	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfecti	on By	-Products	S					
81. HAA5	N	3QT2013	16	RAA	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes	Y	3QT2013	113	RAA	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2013	.7	.48	ppm	0	MDRL = 4	Water additive used to control microbes

PWS ID #	,			TEST RESU	1			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contar	ninants						
8. Arsenic	N	2011*	.9	No Range	ppb	n/a		Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011*	.008	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2011*	.3	0	ppm	1.3		Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011*	.361	No Range	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2011*	2	0	ppb	0		Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011*	3.4	No Range	ppb	50		Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfectio	n By-P	roducts	8					
81. HAA5	N	2013	12	RAA	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2013	80	RAA	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2013	.7	.49	ppm	0	MDRL = 4	Water additive used to control microbes

PWS ID #	#: 0140	052	7	TEST RESU	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

Inorganie	e Cont	taminant	ts					
8. Arsenic	N	2011*	2.5	No Range	ppb	n/a		Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011*	.014	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2012*	1.2	0	ppm	1.3		Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011*	.503	No Range	ppm	4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012*	2	0	ppb	0		Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011*	2.6	No Range	ppb	50		Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfecti	on By	-Produc	ts					
Chlorine	N	2013	.7	.58	ppm	0	MDRL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2013.

Disinfection By-Products:

We routinely monitor for the presence of drinking water contaminants. Testing results we received show that our system exceeded the standard, or maximum contaminate level (MCL) for Disinfection Byproducts in the first, second and third quarters of 2013 on system # 140012 and in the first and second quarters of 2013 on system # 140051. The standard for Trihalomethanes (TTHM) is .080 mg/l.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Moore Bayou Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

⁽⁸²⁾ Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

CHISO-YOHER SUPPL

THE QUITMAN COUNTY DEMOCRAT 213 Locust St. P O Box 328 Marks, MS 38646 Phone 662-326-2181 Fax 662-326-2182 Email quitmancodemocrat@att.net

THE STATE OF MISSISSIPPI

COUNTY OF QUITMAN

CAROL P. KNIGHT, personally appeared before me, the undersigned authority in and for said County and State, and states on oath that she is the CLERK of The Quitman County Democrat, a newspaper published in the City of Marks, State and County aforesaid, and having a general circulation in said county, and that the publication of the notice, a copy of which is hereto attached, has been made in a said paper

<u>THE QUITMAN COU</u>	INTY DEMOCRAT	consecutive times, to	wit:
Volume No. /0? on the	day ofday ofday ofday ofday ofday of	May 2014. 2014. 2014. 2014. 2014.	
Moore Bayon Water Asse.	Sworn and subscrib	bed before me, this the , 2014. Market April 19 10 10 10 10 10 10 10 10 10 10 10 10 10	MX ril 19, 2015
Billing Information			
A. Single first insertion of B. week 2	_ words @ .22 \$_ _ words @ .32 \$_ _ words @ .42 \$_ \$7.00 Column Inch \$_	\$ 3.00 ea. 444. WO. UE UPON RECEIPT	NOTARY PUBLIC ID No. 15409 My Comm Expires April 19, 2015 MAN COUNTY MINITED IN THE PROPERTY OF MISSISSIES
THANK YOU!			
BILL TO: Moore Bayon water PHONE (w/ area code)	Association	·	

2013 Annual Brinking Water Quarty Report Moore Beyou Water Association, Inc. PWS# 0140012, 0140081 & 0140052

We in present to you may be your year's provided Correy Water. Report The report to designed to follow you absolute quality water wind concern vice about to your every day. One contact goal is to providely you will be a past and the provider apply of the many for your two water. We want to be provided to provide a past and provider apply of the prov

The source water assessment has peer conveniend for our probe, soeth eyelem to determine the vieral susceptibility of the software produce property or sentition powers against an experiment of some problems of communications. Appell contained generalized information can never be susceptibility determinations over made has been tamented to our pipility water eyesten, and is an exhaust for viewing upon request. The view for the Model Beach Wildle Association have conserved a lover security-billing soft ingo containmentation.

If you have any questions about this report or concerning your water utility, please protect Challes M. Veorey at 693-726-592. We want our valued consideres to be informed about time water utility. If you want to keen more, please attend any of our regularly scheduler, three-time. They are held entirely not the second it design of each duplies at 600 PM at time Colorina, Comity Court Rouse in the Supervisor's recen

We mustage propert for commissioners in procedimining valual recovering or Excellent and State level. This labe defers far as of the destinance of the common valuation of the control of process. The Common value of the Common

In this table you will find many terms and abbreviations you might not be familiar with. To have you belief understand these terms with monators for other productions.

Action Level - the concentration of a contemicism which, it exceeded, inggest treatment or other requirements which is water system must

Maximum Contaminent Lavel (MCL) > The "Macroom Allowed" (MCL) is the highest level of a contaminant that is aboved in choosing wate MCLs are set as close to the MCLCs are teasible using the best available treatment mechanolity.

Mexican Contention Level Coul (MCLG) - The "Gent (MCLG) is the level of a contentment in detailing water server which there is no second risk to have. MCLOs allow for a margin of solidy.

Macrones Readoral Distriction Level (MRDL) - The highest level of a easistedant allowed in distriction walls: There is conventing enderors that adolescent is received in deceasing for control indicrotes contaminants.

Machinin Poseusal Distriction Level Goal (MPDLG) – This level of a district water distriction between which there is no known or exceeded this of health. MRDLGs do not reflect the benefits of the use of districtions to control interests contaminants.

Parts per mainer (pom) or Addignate par (the (mg/l) - one part per million distribucions to one minute in two years or a single penny in \$10,000.

PACE ON DIRECT (SOLD) OF MICHIGARINE OVER SHAP COMPOSITE (SHE DRIVEN COMPOSITE OF DIRECT MICHIGAN OF COMPOSITE OF SHEET OF SHEET

PWS ID#	: 0140	012		TEST RES	ULTS			
Confernitant	Violation V/N	Date Collected	Level Detected	Hange of Detects or # of Samples Exceeding MCL/ACL	Unit Measure men	MCLG	MOL	Ukey Source of Contembation
Inorganic	Conta	minants		18				
8, Arsenio	N	2011	2.4	No Range	ppb	ri/a	50	Election of natural deposits; runoif from orchards; runoif from glass and electronics production wastes.
10 Ballutti	н	2011*	008	No Range	pom	2	2	Discharge of driving waster, discharge from inetal refriences; stream of natural deposits
13 Chromouni	н	2013*	8	Na Range	cob	100	100	Orsebarge from sizes and pulo miles eroston of natural deposits
14. Copper	N	2009/11*	1	0	фрт	13		Correstor of household councing systems, eroston of habitral deposits learning from wood preservatives
13. Fluoride	N	2011*	2.15	No Range	ppm		- 1	Eroslor of natural deposits, water additive which promotes strong (east) discharge from fertiszer and asimilyum fectores.
17 Lead	M.	2009/11*	2	0	pipiti	0	AL=15	Corresion of household plumbing systems, erosion of natural deposits
21. Sélenam	Na	2011*	84	No Range	pat	50	. 60	Discharge from perconum and metal refrience erosion of natural deposits discharge from mines
Disinfection	n By-F	roducts						and the second
81: HAA5	"	3QT2013	18	RAN	ppo	0	80	By-Product of drinking water disinfection
52, TTHM [Total trihekyneinanes]	Y	30T2013 ·	113	RAA	poti	0	80	
Chlorine	N	2013	.*	4.8	091	0	MORE - 4	Water additive used to control microbes

Conferenced				FEST RESU				and the second s
Constructor	Violation Yrhi	Codested	Level Defected	Rárigili af Defricis or é af Samoirs Exceeding MCLIACL	Measure oneon	MCCG	MCL	Lifely Source of Contamination
Inorganic	Contai	minants	ı					
8. Americ	N	2011	3	No Range	ppb	c/a	50	Erosion of natural deposits; round from orchards; runoff from glass and decironics production wastes
10 Bahum	N	2011*	.038	No Range	ppro	2	2	Discharge of driving waates; discreage from metal refinences; eroston of haton reposits
14 Copper	н	20111	.3	0	ppm	13	AL=1.3	Conceion of household obunding systems, erosion of natural deposits packing from wood preservatives
16. Fluoride	N	2011:	.181	No Renge	ppm		4	Erosion of natural deposits, water actions which promotes strong leach; discharge from femiliars and aluminum fectores.
17, Lead	N	2010	2	0	ρρο	0	AL#15	Corrosion of household plumbing systems, erosion of national deposits.
21: Selenkum	2	2011*	3.4	No Range	ppb	50		Discharge from petroleum and metal tetrenes: erosion of natural deposits discharge from mines
Disinfection	n By-F	roducts						Section Section Co.
81. HAAS	H	2013	12	RAA	ppb	0.	80	By-Product of drinking value distriction.
52: TTHM (Fotal birrakomelhanes)	N	2013	80	RAA	potr	0	80	
Chlarine	N	2013	7	A-9	port	- 0	MORL =	Water additive used to control microbes

				TEST RESU				
Cockeminant	Violation	Oare Collected	Lavel Detected	Range of Detects or # of Samples Exceeding MGUACL	Unit Measure -ment	MCLG	MGL	Likely Source of Contanynation
inorgani	Contar	ninants			-			
B Arsenic 10. Banom			25	No Range	руб	Na	50	Eros on of natural deseases run off from orchards; not off from gass and electronics production washing
			J14	No Range	psn	2	2	Disonarge of driving wastes, ifacturing from metal collineries, erosion of natura drapes is
14. Copper		3012.	1 Z	o	ppen	1.3	AL=1.3	Correstin of floursehed plumbing systems, eroster of natural deposits seaching floor wood preservatives
15. Fluoride	N	2011*	503	No Range	ppm	4		Erosion of natural deposes, water ordifine which promotes allong teets discharge from ferracer and atum norm

STATE OF MISSISSIPPI COUNTY OF COAHOMA

s liereto arrixeu, has been	made in said paper fo	or the period of	weeks	consecutively to-wit:
In Vol. <u>149</u>	No. 40	, dated the 14	th day of May	A.,2014
In Vol	No	, dated the	day of	<u> </u>
In Vol	No	, dated the	day of	
In Vol	No	, dated the	day of	
In Vol	No	, dated the	day of	
EAL) TY PUBLIC 0. 62198	perfore me, this/	_,2014		
SEAL) RY PUBLIC to. 62198 sarry 26, 2017	Def S Duix Notary Public	., 2014 Ju		
SEAL) RY PUBLIC No. 62198 asion Expires	in Bacix Notary Public 2 2 24 17	_, 2014 Ju		
SEAL) RY PUBLIC No. 62198 asion Expires ary 26, 2017 MACCOM mission Expires o:	is Brix Notary Public 2/26/17 Breyou	2014 Ju		
SEAL) RY PUBLIC So. 62198 asion Expires ary 26, 2017 MACGIN mission Expires o: or taking the annexed pub	is Brix Notary Public 2/24/17 Ecceyour plication of			
SEAL) RYPUBLIC Io. 62198 Salon Expires ary 26, 2017 MACOM mission Expires or taking the annexed pub ords or the equivalent the	is Brix Notary Public 2 24 17 Bought of Colication of dereof for a total of	4"		
SEAL) RY PUBLIC to. 62198 sarry 26, 2017	Notary Public A Aug 17 Boxey Out Dication of ereof for a total of , plus \$3.00 for m	aking each proof (2		

or system to determine the owners established it is described white ing detraced information on how the ausosphilishy determinations were a few yearing upon request. The wells for the Moone Bayou Water

If you have any questions about this report or concerning your water obliny please contact Charles M. Vezzay as 882.

What calculates the lifetimed about they water usely if you want to faut micros please effect any of our regularly a whole calculates the lifetimed about they wanter usely if you want to faut micros please effect any of our regularly a whole calculates any of our found in the Superior but as the Coefficient County Count Found in the Superior

Mouthuri Contaminant Level (MCL) - The "standing Aloved" (MCL) is the highest level of MCL is the set as 2000 to the ACCLOR as feeable lising the best evaluable treament technology.

Maximum Conteminant Level Gost (MCLG) - The 'Gost (MCLG) is the bit expected risk to heelth. MCLGs allow for a margin of safety.

Maximum Reservat Disimectant Level (MADIL) — The highest lovel of a disin addition of a disinfectant is nacepeary for control microbial commitments.

Afternium Residual Disorfectant Laver Goal (ARTDLO) - The laver of a districting water disorded in the benefits of the use of disorded the process of the use of disorded the process of the use of disorded the process of the use of

PWS ID	4: 01400	112		TEST RES			MCC I	Likely Source of Contemination
Contaminant	Violation	Date Collected	Level	Range of Delects of 8 of Gemples Extending MCUAGE	Unit SSessure -mont	MOLG		Casey sould by Case
Inorganic	Contai	ninauts						
B. Arkonic	14	20111	2.4	No Range	SOO	rva	60	Prosion of natural deposits; runoff from orchance, runoff from glass and algotronics production wastes
10. Barken	IN .	20114	.008	No Pungo	фрип	2		Discharge of drilling wastes, discharge from metal refineries; erosion of natur
3. Chromium	N	2011		140 Range	pob	100	100	Disonarge from steet and pub miles proston of natural deposits
14: Copper	N	2009/11*		o	ppm	1.3	AL#1.5	Corresion of household plumbing systems; erosion of retural deposits. leaching from wood preservations.
10. Fluoride	N	20117	2.18	No Painge	ppm	*	4	trosion of natural deposits; water additive which promotes atrong feeth discharge from furtilizer and aluminor fectories
17 Load	N	2009/11	3	0	ppb	0	ALA16	Correlon of household prambing systems, grosion of natural deposits
21. Selemorn	N	20111	8.4	No Range	996	80	60	Discharge from petroleum and metal refineries; erosion of natural deposits discharge from mines
Disinfect	B 1	Product	10 (03)	1506 15 150 1				
61 1000	LN	3QT2013		RAA	pob		State of the	io By Produce of dishung water
52, THM	- -	30Y2013	113	RAA	ppt	٥		50 By-product of stroking water chlorington
tributionnethernor	II.	2013	7	.4-4	ppm	0	MORL -	4 Water eddilive used to control

PWS ID#	. 0140	 Section 2.52 		EST RESU		MCCO I	TUCK 1	Likely Gource of Contamination		
Premimelno	YHE	Collected	Deserted	Or # of Hempire fluoreding MCL/ACL	Medauma -mont			-		
Inorganic	Contar	ninants	16-7- Alexand					The second second		
5. Arsento	N	2011	.u	No Range	SHIP	~*a	60	Erosion of ristural disposite; runoff from orchards; runoff from place and electronics production wastes		
10. Elarium	N	2011"	Con	No Range	DINE	2	2	Discharge of Utiling Washis; dischar front mate reference; provide of nati deposits		
14. Coppet	N	20117		0	ppm	. 13	AFTO	Correlion of household plumbing systems; erosion of natural deposits: seconing from wood presentatives		
ia, Muoiks	4	2011	.301	No Range	ррпт	-		Erosion of natural depress; water stidling which promotes strong to decoherge from fartilizer and stury factoring		
17 Leud	N	2011*	•	0	pob	0	AL=15	available, arother of natural deposits:		
21. SAMmium	N	2011*	3.4	Na Renge	ppb	50	- 60			
Disinfection	m By-I	roduct			1000			o I By Product at drinking water		
81. HAAS	N	2013	12	SEAA	ppb	•		distrifuctions		
72. TTHM Total	۳	2019	80	RAA	ppts	0		in Sky-troduct of dibiding Water chlorestion.		
Chkrine	N	2018	.T. 198.1	44.9	ppm		MORL *	A Water additive used to convol		

PWS 00 #: 0140	052	CEST RESU	LTS			
Contemprent Violation	Date Laver Contented Consessed	or e of Samples	Unit MOLG	wor !	HAN BOUTON OF C	ontarnium est
1		MCL/ACL	Thank			2.3
CONTRACTOR OF THE STATE OF THE	CORD SEE A COMPANY DESIGNATION	eszteriówski możerności	CONTRACTOR STATES			

8. Arennio	N	2011*	2.5	No Range	pps	n/a	- 60	Emission of natural deposits; runoff from erohards; runoff from glass and electronics production westes
10. Danven	N	2011*	.01#	No Range	ppnt	2	2	Discharge of draling waster, discharge som metal refineries; prostor of nature deposits
та. Сорры	N	2012	12	0	pom	1.3	AL-1.3	Corresion of household plumbing systems; erosion of netucel deposits: insching from woolt preservatives.
10, Floorid#	N	2011.	:603	No Range	ppm	•		Erosten of natural deposits, water selfithe vision promotes strong teeth; descharge from ferificer and summunt fectories
17. Lend	- N	2012*	2	0	ppb	0	AL-18	
21. Salanium	N	2011*	2.5	No Range	opti	80	80	Oscharge from petrolopm and matel refricted aroston of netural deposits; discharge from mitted

prices (TTIP4s). Nome people who drink water containing tribalcened or central nervous systems, and may have an increased risk of genth-

We coalcoly, monitor, for the presence of drinking water, contentinants. To string results we resolved show that our maker we searched, or maximum conteminates lared (MCC) for Delinfection Byproductes in the link, second and think quarters of 2013 on eyem and in the time and exposing eighter of 2013 on eyem as f. 4000.1, the schooled for Thread-nonlinance (T196) is 300 monitors and in the time and exposing eighter of 2013 on eyem as f. 4000.1, the schooled for Thread-nonlinance (T196) is 300 monitors.

e Moore Bayou Winter Association works around the clock to provide ton quality water to every tip. We sek that hill our or also buy water accross, which are the heart of our community, our way of life and our children's uture.

CPU

Continued from Page 1A

ger
"They were running toward the gas lines, but somehow they got turned and didn't hit withing." Tak said. turned and didn't hit anything." Zak said.
"Then they appeared headed for the breakers, but they turned again then hit the entrance gate... Then they got out with a blown tream of the turned toward some apartments."

The Altima was then diven in the apartment's parking lot At some old the turned toward some apartment, the days are the said they turned toward some old the said they are the said they are the said they are the said they are the are they are the

ment's parking for. At some point, the car's headlight fell out, but the drivers managed to avoid hitting any of the parked cars in the park-ing lot. The driver did run through the apart-ment's fence, however, and then out into anoth-er field near the railroad track where the car caught fire and died

"We were very very fortunate not to have a catastrophic event out there. If they'd hit our gas line or hit our breakers we could have

breakers we could have had a catastrophic inci-dent." Zak said.

It's not yet clear whether the driver had insurance or who will pay for the damages to public property. So

the public property. So fair the otity's colles issued a Driving Under the Influence citation, but possibly more either tions could come. Bobby Huggins, who is on the CPU board, suggested the police should charge the driver with trespassing and destruction of property. tion of property. However, City Attorney Curtis Boschert told David Hunt, CPU's attorney, that someone from the CPU would need to submit an affineed to submit an am-davit for further charges. Hunt seemed hesitant to recommend. sending in an affidavit because it could force someone (likely Zak) from the CPU to testify about events that he did-n't witness. In the end the CPU board decided to wait until their next meeting later this meeting later this month to decide whether or not to fill out an affidavit. But, even without an affi-davit, the CPU could still get reimbursed

com Page 1A

from the driven

"A civil lawsuit ould
take care of it though,"
Hunt said, "What I'll do
is get Gurtis to send me
a copy of that police
report and if yall want
me to we can wait 'til
the next meeting and
then you can authorize

the next meeting and then you can authorize a letter to make a com-plaint against it." Also Monday, the board got into a brief board got into a brief discussion about what to do with the CPU's old power station on Third Street. The power sta-tion's been unused since the 1990s, and suggestions for its use come up intermittently at meet-

ings Monday, though, Zak suggested the CPU pay to have it torn down. "I know there's been a lot of discussion on what to do with that building," Zak said. "I had an individual who came to me who was had ar individual who came to me who was interested in some of the equipment in the building, but due to the asbestos in there i know there's some concern about that."

Zak explained that the person is, in the demolition business and he's licensed in Mississippi and one of his employees is authorized to work with asbestos. The


ees is authorized to work with asbestos. The man offered to demolish the whole building for between \$30,000 and \$50,000 and salvage whatever he could inside.

inside.
Huggins said he was adamantly against demolishing the power plant, but baard mem ber Golden Sharpe said he would like to hear more about the proposal. Zak agreed to bring more details to a future meeting.
Zak said he was concerned about liability

Zai, said he was con-cerned about liability from the empty building and he argued that a vocant iot next to the CPU offices could serve as a parking lot and free up Third, Street, which is sometimes congested because of GPU cus-tomers.

Jesse Wright is the publisher for the Press Register and can be reached at 662-627-2201 or at pub-lisher@pressregister.com.





LYON, MS 38645